

CSIE30600/CSIEB0290
Database Systems
Lecture 8:
**Enhanced Entity-
Relationship(EER)
Model**

Outline

- EER stands for **Enhanced ER** or **Extended ER**
- EER Model Concepts
 - Includes all modeling concepts of basic ER
 - **Additional concepts:**
 - subclasses/superclasses
 - specialization/generalization
 - categories (UNION types)
 - attribute and relationship inheritance
 - These are fundamental to conceptual modeling
- The additional EER concepts are used to model applications more completely and more accurately
 - EER includes some object-oriented concepts, such as inheritance

The Enhanced Entity-Relationship (EER) Model

- **Enhanced ER (EER) model**
 - Created to design more **accurate database schemas**
 - Reflect the data properties and constraints more precisely
 - For modeling more complex requirements than traditional applications

Subclasses, Superclasses, and Inheritance


- EER model includes all modeling concepts of the ER model
- In **addition**, EER includes:
 - **Subclasses and superclasses**
 - **Specialization and generalization**
 - **Category or union type**
 - **Attribute and relationship inheritance**
- EER includes some object-oriented concepts

Subclasses and Superclasses (1)

- An entity type may have additional meaningful **subgroupings** of its entities
 - Example: EMPLOYEE may be further grouped into:
 - SECRETARY, ENGINEER, TECHNICIAN, ...
 - Based on the EMPLOYEE's Job
 - MANAGER
 - EMPLOYEEs who are managers
 - SALARIED_EMPLOYEE, HOURLY_EMPLOYEE
 - Based on the EMPLOYEE's method of pay
- EER diagrams extend ER diagrams to represent these additional subgroupings, called **subclasses** or **subtypes**


CSIE30600/CSIEB0290 Database Systems

EER Model 5



Alternative Notations

- Just like basic ER model, many alternative notations exist.



CSIE30600/CSIEB0290 Database Systems

ER Model 7

Subclasses and Superclasses (2)

- Each of these subgroupings is a subset of EMPLOYEE entities
- Each is called a **subclass** of EMPLOYEE
- EMPLOYEE is the **superclass** for each of these subclasses
- These are called **superclass/subclass relationships**:
 - EMPLOYEE/SECRETARY
 - EMPLOYEE/TECHNICIAN
 - EMPLOYEE/MANAGER
 - ...

CSIE30600/CSIEB0290 Database Systems

EER Model 8

Subclasses and Superclasses (3)

- These are also called **IS-A** relationships
 - SECRETARY IS-A EMPLOYEE, TECHNICIAN IS-A EMPLOYEE,
- Note: An entity that is member of a subclass represents **the same** real-world entity as some member of the superclass:
 - The subclass member is the same entity in a *distinct specific role*
 - An entity **cannot** exist in the database merely by being a member of a subclass; it must also be a member of the superclass
 - A member of the superclass can be **optionally** included as a member of any number of its subclasses

CSIE30600/CSIEB0290 Database Systems

EER Model 9

Subclasses and Superclasses (4)

- Examples:
 - A salaried employee who is also an engineer belongs to the two subclasses:
 - ENGINEER, and
 - SALARIED_EMPLOYEE
 - A salaried employee who is also an engineering manager belongs to the three subclasses:
 - MANAGER,
 - ENGINEER, and
 - SALARIED_EMPLOYEE
- It is **not necessary** that every entity in a superclass be a member of some subclass

CSIE30600/CSIEB0290 Database Systems


EER Model 10

Specialization (1)

- **Specialization** is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some **distinguishing characteristics** of the entities in the superclass
 - Example: {SECRETARY, ENGINEER, TECHNICIAN} is a specialization of EMPLOYEE based upon **job type**.
 - May have several specializations of the same superclass

CSIE30600/CSIEB0290 Database Systems

EER Model 11



CSIE30600/CSIEB0290 Database Systems

EER Model 12

Representing Specialization in EER Diagrams




Figure 4.4
EER diagram notation
for an attribute-defined
specialization on
Job_type.

CSIE30600/CSIEB0290 Database Systems

EER Model 13

Specialization (2)

- Example: Another specialization of EMPLOYEE based on *method of pay* is {SALARIED_EMPLOYEE, HOURLY_EMPLOYEE}.
 - Superclass/subclass relationships and specialization can be diagrammatically represented in EER diagrams
 - Attributes of a subclass are called **specific** or **local attributes**.
 - For example, the attribute TypingSpeed of SECRETARY
 - The subclass can also participate in **specific relationship types**.
 - For example, a relationship BELONGS_TO of HOURLY_EMPLOYEE

CSIE30600/CSIEB0290 Database Systems

EER Model 14

Attribute Inheritance

- A subclass entity **inherits**
 - All **attributes** of the superclass
 - All **relationships** of the superclass
 - (the IS-A relationship)
- Example:
 - In the previous slide, SECRETARY (as well as TECHNICIAN and ENGINEER) inherit the attributes Name, SSN, ..., from EMPLOYEE
 - Every SECRETARY entity will have values for the inherited attributes


Generalization

- **Generalization**
 - Process of defining a generalized entity type from the given entity types
 - The **reverse** of specialization
- Several classes with **common features** are generalized into a superclass;
 - original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE;
 - both CAR, TRUCK become subclasses of VEHICLE.
 - We can view {CAR, TRUCK} as a specialization of VEHICLE
 - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK

Figure 4.3

Generalization. (a) Two entity types, CAR and TRUCK.

(b) Generalizing CAR and TRUCK into the superclass VEHICLE.



CSIE30600/CSIEB0290 Database Systems

EER Model 17

Generalization and Specialization (1)

- Diagrammatic notation are sometimes used to distinguish between generalization and specialization
 - Arrow pointing to the generalized superclass represents a generalization
 - Arrows pointing to the specialized subclasses represent a specialization
 - We *do not use* this notation because it is often subjective as to which process is more appropriate for a particular situation
 - We advocate not drawing any arrows

CSIE30600/CSIEB0290 Database Systems

EER Model 18

Generalization and Specialization (2)

- Data Modeling with Specialization and Generalization
 - A superclass or subclass represents a collection (or set or grouping) of entities
 - It also represents a particular *type of entity*
 - Shown in **rectangles** in EER diagrams (as are entity types)
 - We can call all entity types (and their corresponding collections) **classes**, whether they are entity types, superclasses, or subclasses

CSIE30600/CSIEB0290 Database Systems

EER Model 19

Constraints on Specialization and Generalization

- If we can determine exactly those entities that will become members of each subclass by a condition, the subclasses are called **predicate-defined** (or **condition-defined**) subclasses
 - **Condition** is a constraint that determines **subclass members**
 - Display a predicate-defined subclass by writing the **predicate condition** next to the line attaching the subclass to its superclass

CSIE30600/CSIEB0290 Database Systems

EER Model 20

Attribute-Defined Constraints

- If all subclasses have membership condition on **same attribute** of the superclass, the specialization is called an **attribute-defined specialization**
 - Attribute is called the **defining attribute** of the specialization
 - Example: JobType is the defining attribute of the specialization {SECRETARY, TECHNICIAN, ENGINEER} of EMPLOYEE

CSIE30600/CSIEB0290 Database Systems

EER Model 21

Attribute-defined Specialization




Figure 4.4
EER diagram notation
for an attribute-defined
specialization on
Job_type.

CSIE30600/CSIEB0290 Database Systems

EER Model 22

User-Defined Constraints

- If no condition determines membership, the subclass is called **user-defined**
 - Membership in a subclass is determined by the database users by applying an operation to add an entity to the subclass
 - Membership in the subclass is specified individually for each entity in the superclass by the user

Constraints on Specialization and Generalization

- Two basic constraints can apply to a specialization/generalization:
 - **Disjointness** Constraint:
 - **Completeness** Constraint:

Disjointness Constraint

- Specifies that the subclasses of the specialization must be **disjoint**:
 - an entity can be a member of at most one of the subclasses of the specialization
- Specified by **d** in EER diagram
- If not disjoint, specialization is **overlapping**:
 - that is the same entity may be a member of more than one subclass of the specialization
- Specified by **o** in EER diagram

CSIE30600/CSIEB0290 Database Systems

EER Model 25

Completeness Constraint

- **Total** specifies that every entity in the superclass must be a member of some subclass in the specialization/generalization
- Shown in EER diagrams by a **double line**
- **Partial** allows an entity not to belong to any of the subclasses
- Shown in EER diagrams by a **single line**

CSIE30600/CSIEB0290 Database Systems

EER Model 26

Constraints Combination

- Hence, we have four types of specialization/generalization:
 - Disjoint, total
 - Disjoint, partial
 - Overlapping, total
 - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.

CSIE30600/CSIEB0290 Database Systems

EER Model 27

Example of Disjoint Partial Specialization




Figure 4.4
EER diagram notation
for an attribute-defined
specialization on
Job_type.

CSIE30600/CSIEB0290 Database Systems

EER Model 28

Example of Overlapping Total Specialization




Figure 4.5

EER diagram notation for an overlapping (nondisjoint) specialization.

CSIE30600/CSIEB0290 Database Systems



Course Information 29

Hierarchies, Lattices & Shared Subclasses (1)

- A subclass may itself have further subclasses specified on it
 - forms a hierarchy or a lattice
- **Hierarchy** has a constraint that every subclass has only one superclass (called **single inheritance**); this is basically a **tree structure**
- In a **lattice**, a subclass can be subclass of more than one superclass (called **multiple inheritance**)

CSIE30600/CSIEB0290 Database Systems

EER Model 30




Hierarchies, Lattices & Shared Subclasses (3)

- In **specialization**, start with an entity type and then define subclasses of the entity type by successive specialization
 - Called a **top down** conceptual refinement process
- In **generalization**, start with many entity types and generalize those that have common properties
 - Called a **bottom up** conceptual synthesis process
- In practice, a **combination of both processes** is usually employed

CSIE30600/CSIEB0290 Database Systems

EER Model 33



CSIE30600/CSIEB0290 Database Systems

EER Model 34

Categories (UNION TYPES) (1)

- All of the *superclass/subclass relationships* we have seen thus far have a single superclass
- A **shared subclass** is a subclass in:
 - **more than one** distinct superclass/subclass relationships
 - each relationships has a single superclass
 - shared subclass leads to multiple inheritance
- In some cases, we need to model a **single superclass/subclass relationship** with **more than one superclass**
- Superclasses can represent different entity types
- Such a subclass is called a **category** or **UNION TYPE**

CSIE30600/CSIEB0290 Database Systems


EER Model 35

Categories (UNION TYPES) (2)

- Example: In a database for vehicle registration, a **vehicle owner** can be a PERSON, a BANK (holding a lien on a vehicle) or a COMPANY.
 - A *category* (UNION type) called OWNER is created to represent a subset of the **UNION** of the three superclasses COMPANY, BANK, and PERSON
 - A category member must exist in **at least one** of its superclasses
- Difference from **shared subclass**, which is a:
 - subset of the **intersection** of its superclasses
 - shared subclass member must exist in **all** of its superclasses

CSIE30600/CSIEB0290 Database Systems

EER Model 36



Formal Definitions of EER (1)

- **Class C:** A type of entity with a corresponding set of entities:
 - could be entity type, subclass, superclass, or category
- **Note:** The definition of *relationship type* in ER/EER should have 'entity type' replaced with 'class' to allow relationships among classes in general

Formal Definitions of EER (2)

- **Subclass** S is a class whose:
 - Type **inherits** all the **attributes** and **relationship** of class C
 - Set of **entities** must always be a subset of the set of entities of the other class C
 - $S \subset C$
 - C is called the **superclass** of S
 - A **superclass/subclass relationship** exists between S and C

CSIE30600/CSIEB0290 Database Systems

EER Model 39

Formal Definitions of EER (2)

- **Specialization** Z: $Z = \{S_1, S_2, \dots, S_n\}$ is a set of subclasses with same superclass G; G/S_i is a superclass relationship for $i = 1, \dots, n$.
 - G is called a **generalization** of the subclasses $\{S_1, S_2, \dots, S_n\}$
 - Z is **total** if we always have:
 - $S_1 \cup S_2 \cup \dots \cup S_n = G$;
 - Otherwise, Z is **partial**.
 - Z is **disjoint** if we always have:
 - $S_i \cap S_j = \text{empty-set}$ for $i \neq j$;
 - Otherwise, Z is **overlapping**.

CSIE30600/CSIEB0290 Database Systems

EER Model 40

Formal Definitions of EER (3)

- Subclass S of C is **predicate defined** if predicate (condition) p on attributes of C is used to specify membership in S ;
 - that is, $S = C[p]$, where $C[p]$ is the set of entities in C that satisfy condition p
- A subclass not defined by a predicate is called **user-defined**
- **Attribute-defined** specialization: if a predicate $A = c_i$ (where A is an **attribute** of G and c_i is a constant value from the domain of A) is used to specify membership in each subclass S_i in Z
 - Note: If $c_i \neq c_j$ for $i \neq j$, and A is single-valued, then the attribute-defined specialization will be disjoint.

CSIE30600/CSIEB0290 Database Systems


EER Model 41

Formal Definitions of EER (4)

- **Category** or **UNION type** T
 - A class that is a **subset** of the **union** of n defining superclasses $D_1, D_2, \dots, D_n, n > 1$:
 - $T \subset (D_1 \cup D_2 \cup \dots \cup D_n)$
 - Can have a predicate p_i on the attributes of D_i to specify entities of D_i that are members of T .
 - If a predicate is specified on every D_i : $T = (D_1[p_1] \cup D_2[p_2] \cup \dots \cup D_n[p_n])$



CSIE30600/CSIEB0290 Database Systems

EER Model 42



Alternative Diagrammatic Notations

- ER/EER diagrams are a specific notation for displaying the concepts of the model diagrammatically
- DB design tools use many alternative notations for the same or similar concepts
- One popular alternative notation uses **UML class diagrams**
- See next slides for UML class diagrams and other alternative notations



General Conceptual Modeling

Concepts

- General data abstractions
 - Classification and Instantiation
 - Aggregation and Association (relationships)
 - Generalization and Specialization
 - Identification
- Constraints
 - Cardinality (Min and Max)
 - Coverage (Total vs. Partial, and Exclusive (disjoint) vs. Overlapping)

Ontologies

- Use conceptual modeling and other tools to develop “**a specification of a conceptualization**”
 - **Specification** refers to the language and vocabulary (data model concepts) used
 - **Conceptualization** refers to the description (schema) of the concepts of a particular field of knowledge and the relationships among these concepts
- Many medical, scientific, and engineering ontologies are being developed as a means of standardizing concepts and terminology

Design Issues (1)

- Use of entity sets vs. attributes
 - Choice mainly depends on the structure of the enterprise being modeled, and on the semantics associated with the attribute in question
 - *E.g., should Phone be an attribute of Employee or a separate entity?*
- Use of entity sets vs. relationship sets
 - Possible guideline is to designate a relationship set to describe an *action that occurs between entities*

Design Issues (2)

- Binary versus *n-ary relationship sets*
 - Although it is possible to replace any nonbinary (*n-ary, for $n > 2$*) relationship set by a number of distinct binary relationship sets, a *n-ary relationship set shows more clearly that several entities participate in a single relationship*
- Placement of relationship attributes
- The use of a strong or weak entity set
- The use of specialization contributes to modularity in the design

Entity vs. Attribute

- Works_In4 does not allow an employee to work in a department for two or more periods.
- What if we want to record all possible periods an employee worked in a particular department?

CSIE30600/CSIEB0290 Database Systems EER Model 51

Entity vs. Relationship

- Manager gets a separate budget for each dept.
- What if a manager gets a budget that covers *all managed depts*?

CSIE30600/CSIEB0290 Database Systems EER Model 52

Design Principles

- What makes a design **good** or **bad**?
- Design should be **faithful** to specifications
- **Avoid redundancy** – more on normalization later!
- Keep it **simple**
 - Avoid creating unnecessary entities/relationships
- Pick the **right** kind of element (see examples “Entity vs. Relationship” and “Entity vs. Attribute”)
 - Rule of thumb: if *thing has more info than just its name* make it an entity

Summary

- Introduced the EER model concepts
 - Class/subclass relationships
 - Specialization and generalization
 - Inheritance
- These augment the basic ER model concepts introduced in Chapter 3
- EER diagrams and alternative notations were presented

Assignment 4

- Textbook exercise 6-15, 6-16, 6-21, 6-22
- Due Date: Dec 10, 2020